



Product Data Sheet



Ralston Latex

Ralston Colour & Coatings B.V.

Russenweg 14 - 8041 AL Zwolle
P.O. Box 205 - 8000 AE Zwolle
The Netherlands
T +31 38 429 11 00
F +31 38 421 04 14
E info@ralstoncolour.com
I www.ralstoncolour.com

Description

Good covering, breathing, water-based wall paint based on acrylic dispersion. For interior use.

Application

On concrete, plasterwork, masonry and stony sheet work, interior.

Principal characteristics

- Easy to apply
- Good hiding power
- High water vapour permeability

Colour and gloss

White
Mat

Technical data

At 20°C and 65% R.H.

Density:	approx. 1.5 kg/dm ³
Viscosity:	approx. 125 K.U.
Solids content:	approx. 35 volume %
Dust-dry:	approx. 1 hour
Recoatable:	approx. 6-8 hours
Wet rub resistance:	Class 3, according to DIN EN 13 300 (after 1 month)
Application:	Brush, roller, (airless) spray
Spraying data:	Airless spray Pressure: 11-13MPa (110-130 bar) Nozzle: 0.018-0.021 inch (0.46-0.53 mm) Thinner: ca. 5% water

Surface condition:

Untreated surfaces (air-dried):

- Remove dust and grease and possible cement-skin from concrete;
- Pre-treat powdering and/or absorbing surfaces with Ralston Wall Primer or Ralston ColourPrime. Apply one or two (hiding) coats of Ralston Latex.

Existing (dispersion) wall paint surfaces:

- Clean the surface and remove dust and grease;
- Repair if necessary;
- Apply one or two (hiding) coats of Ralston Latex.



Product Data Sheet

Ralston Latex (continued)

Spreading rate

Practical spreading rate

6-8 m²/l rolled, dependent on the porosity and structure of the surface. Apply on a test panel if necessary.

Application conditions

- Ambient and surface temperature: min. 10°C
- Relative humidity: max. 85%

Instructions for use

- Stir well before use
- Dilution: ready to use, water if desired
- Clean tools with water

Product details

Package:	10 liter – W
Storage:	in unopened, original package at a cool, dry and frost-proof area
Maximum usage period:	12 months

Environment and health

Flash point:	none
Safety regulations:	National legislation regarding safety, health and environment applies to users. For more information and current data, see the latest version of the Material Safety Data Sheet.