



## Product Data Sheet



# Ralston Aqua Wood & Parquet Lacquer

### Ralston Colour & Coatings B.V.

Russenweg 14 - 8041 AL Zwolle  
P.O. Box 205 - 8000 AE Zwolle  
The Netherlands  
T +31 38 429 11 00  
F +31 38 421 04 14  
E [info@ralstoncolour.com](mailto:info@ralstoncolour.com)  
I [www.ralstoncolour.com](http://www.ralstoncolour.com)

### Description

High-quality, water-dilutable, non-yellowing, durable, clear varnish on the basis of urethane technology.

### Application

For indoor application, as a wear resistant wood finish. Especially suitable for (parquet) floors, stairs, doors, furniture, wood paneling etc. In case of application over other lacquers, it is recommended to seek advice in advance.

### Principal characteristics

- non-yellowing
- scratch and wear resistant
- fast drying
- resistant to finger smudge
- odour free

### Colour and gloss

Colourless  
Satin gloss

### Technical data

#### At 20°C and 65% R.H.

Density:	approx. 1.1 kg/dm <sup>3</sup>
Viscosity:	approx. 75 K.U.
Solids content:	approx. 35 volume %
Dust-dry:	approx. 0.5 hour
Recoatable:	approx. 4 hours
Walkable after:	approx. 8 hours

### Spreading rate and film thickness

#### Film thickness

35 microns dry (approx. 100 microns wet)

#### Theoretical spreading rate

At 35 microns dry: 8.6 m<sup>2</sup>/l

#### Practical spreading rate

Dependent on surface and application method 60-85% of the theoretical spreading rate



## Product Data Sheet

### Ralston Aqua Wood & Parquet Lacquer (continued)

#### Application conditions

- Ambient and surface temperature: 10-25 °C
- Relative humidity: max. 85%

#### Instructions for use

- Stir well before use
- Dilution: ready to use
- Clean tools with water

#### Product details

- Package: 2.5 liter
- Storage: in unopened, original package at a cool, dry and frost-proof area
- Maximum usage period: 12 months

#### Environment and health

- Flash point: none
- Safety regulations: National legislation regarding safety, health and environment applies to users. For more information and current data, see the latest version of the Material Safety Data Sheet.