

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.12.2025 Version number 1.00 Revision: 25.10.2023

### 1 Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: Ralston Colorant AQ 870 Oxide Yellow

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

### Application of the substance / the mixture

Restricted to professional users.

Dyestuff/Colouring agent

### 1.3 Details of the supplier of the safety data sheet

### Manufacturer/Supplier:

Ralston Colour & Coatings B.V.

part of

Royal Van Wijhe Verf

Russenweg 14

8041 AL ZWOLLE

THE NETHERLANDS

+31(0)38 - 429 1100

msds@ralstoncolour.com

### 1.4 Emergency telephone number:

**NVIC** 

+31(0)88 755 8000

Only for the purpose of informing medical personnel in case of acute intoxications

### 2 Hazards identification

# 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

### Hazard pictograms



# Signal word Warning

# Hazard-determining components of labelling:

2-methyl-2H-isothiazol-3-one

1,2-benzisothiazol-3(2H)-one

# **Hazard statements**

H317 May cause an allergic skin reaction.

### **Precautionary statements**

P262 Do not get in eyes, on skin, or on clothing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.



according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.12.2025 Version number 1.00 Revision: 25.10.2023

Trade name: Ralston Colorant AQ 870 Oxide Yellow

(Contd. of page 1)

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

### 2.3 Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

# 3 Composition/information on ingredients

### 3.2 Mixtures

Dangerous components:		
CAS: 9004-98-2	Polyethylene glycol monooleyl ether  Aquatic Acute 1, H400;  Skin Irrit. 2, H315	≥2.5–<10%
CAS: 55406-53-6 EINECS: 259-627-5 Index number: 616-212-00-7 Reg.nr.: 01-2120762115-60	3-lodo-2-propynylbutylcarbamate  Acute Tox. 3, H331; STOT RE 1, H372; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10);  Aquatic Chronic 1, H410 (M=1); Acute Tox. 4, H302; Skin Sens. 1, H317	
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60	1,2-benzisothiazol-3(2H)-one  Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1A, H317  ATE: LD50 oral: 450 mg/kg	<0.025%
CAS: 2682-20-4 EINECS: 220-239-6 Index number: 613-326-00-9 Reg.nr.: 01-2120764690-50	2-methyl-2H-isothiazol-3-one  Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A; H317: C ≥0.0015 %	≥0.0015–<0.025%

Additional information: For the wording of the listed hazard phrases refer to section 16.

# 4 First aid measures

# 4.1 Description of first aid measures

# **General information:**

Take affected persons out into the fresh air.

Keep warm, position comfortably and cover well.

Consult doctor if symptoms persist.

#### After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.12.2025 Version number 1.00 Revision: 25.10.2023

Trade name: Ralston Colorant AQ 870 Oxide Yellow

(Contd. of page 2)

### After skin contact:

Immediately remove any clothing soiled by the product.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

### After eye contact:

Rinse opened eye for several minutes under running water.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After swallowing:

If person is conscious, rinse out mouth.

Do not induce vomiting; call for medical help immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# 5 Firefighting measures

### 5.1 Extinguishing media

### Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**5.2** Special hazards arising from the substance or mixture No further relevant information available.

### 5.3 Advice for firefighters

Protective equipment: Wear fully protective suit.

### **Additional information**

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### 6 Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

For non-emergency personnel Keep people at a distance and stay on the windward side.

**6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.

# 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

# 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Information about fire - and explosion protection: No special measures required.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage: Observe instructions for use / storage.



according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.12.2025 Version number 1.00 Revision: 25.10.2023

Trade name: Ralston Colorant AQ 870 Oxide Yellow

(Contd. of page 3)

Requirements to be met by storerooms and receptacles: Store in a well-ventilated place. Keep cool.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep container tightly closed.

7.3 Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

### 8.1 Control parameters

### Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

### 8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

# General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

**Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation. **Hand protection** 



Protective gloves

### As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

Eye/face protection Goggles recommended during refilling

### 9 Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**General Information** 

Physical state Liquid Colour: Yellow

Odour:Product specificOdour threshold:Not determined.Melting point/freezing point:Undetermined.

Boiling point or initial boiling point and boiling

range 100 °C (7732-18-5 water, distilled, conductivity or of

similar purity)

Flammability Not applicable.

Lower and upper explosion limit

Lower:Not determined.Upper:Not determined.Flash point:Not applicable.Decomposition temperature:Not determined.

**pH at 20 °C** 7–9

Viscosity:

Kinematic viscosity Not determined.

(Contd. on page 5)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.12.2025 Version number 1.00 Revision: 25.10.2023

Trade name: Ralston Colorant AQ 870 Oxide Yellow

(Contd. of page 4)

**Dynamic at 20 °C:** 1,141.3–1,897.64 mPas

**Solubility** 

water: Fully miscible.

Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C: 23 hPa (7732-18-5 water, distilled, conductivity or of

similar purity)

Density and/or relative density

Density at 20 °C:1.66–1.76 g/cm³Relative densityNot determined.Vapour densityNot determined.

9.2 Other information

Appearance:

Form: Pasty

Important information on protection of health

and environment, and on safety.

**Ignition temperature:** Product is not selfigniting.

**Explosive properties:** Product does not present an explosion hazard.

Solvent content:

**VOC (EC)** 10.21 % **Solids content:** 58.6 %

Change in condition

**Evaporation rate** Not determined.

### 10 Stability and reactivity

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability** The product is stable.

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50	LD/LC50 values relevant for classification: 9004-98-2 Polyethylene glycol monooleyl ether		
9004-98-2			
Oral	LD50	2,700 mg/kg (rat)	
55406-53-6 3-lodo-2-propynylbutylcarbamate			
Oral	LD50	1,470 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rat)	
Inhalative	LC50/4 h	>6.89 mg/l (rat)	

(Contd. on page 6)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.12.2025 Version number 1.00 Revision: 25.10.2023

Trade name: Ralston Colorant AQ 870 Oxide Yellow

(Contd. of page 5)

2634-33-5	5 1,2-benz	isothiazol-3(2H)-one		
Oral	LD50	450 mg/kg (ATE)		

### **Primary irritant effect:**

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

# **Endocrine disrupting properties**

None of the ingredients is listed.

### 12 Ecological information

# 12.1 Toxicity

	Aquatic toxicity:		
ľ	2634-33-5 1,2-benzisothiazol-3(2H)-one		
ľ	EC50	2.9 mg/l /48h (daphnia)	
	ErC50	0.11 mg/l /72h (Pseudokirchneriella subcapitata)	
	LC50	2.15 mg/l /96h (Oncorhynchus mykiss)	
	NOEC	0.0403 mg/l /72h (Pseudokirchneriella subcapitata)	

- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

# 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

### 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

### 12.7 Other adverse effects

# Additional ecological information:

### **General notes:**

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

### 13 Disposal considerations

# 13.1 Waste treatment methods

### Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

### **Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations.



according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.12.2025 Version number 1.00 Revision: 25.10.2023

Trade name: Ralston Colorant AQ 870 Oxide Yellow

(Contd. of page 6)

Recommended cleansing agents: Water, if necessary together with cleansing agents.

### 14 Transport information

14.1 UN number or ID number

ADR, IMDG, IATA Not regulated.

14.2 UN proper shipping name

ADR, IMDG, IATA Not regulated.

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class Not regulated.

14.4 Packing group

ADR, IMDG, IATA

14.5 Environmental hazards:

14.6 Special precautions for user

Not applicable.

Not applicable.

14.7 Maritime transport in bulk according to

IMO instruments Not applicable.
UN "Model Regulation": Not regulated.

# 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

 $\label{lem:lemma$ 

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

### **REGULATION (EU) 2019/1148**

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

### Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

REGULATION (EU) 2024/590 on substances that deplete the ozone layer

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

The product does not contain SVHC ≥ 0.1%

(Contd. on page 8)



according to Regulation (EC) No 1907/2006, Article 31

Version number 1.00 Revision: 25.10.2023 Printing date 16.12.2025

Trade name: Ralston Colorant AQ 870 Oxide Yellow

(Contd. of page 7)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases

	•
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

# Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Skin sensitisation | Calculation method

EUH071 Corrosive to the respiratory tract.

### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity - Category 2

Acute Tox. 3: Acute toxicity - Category 3

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1